



3D PRINTED ARTICULATING ANKLE FOOT ORTHOSIS

DATE ORDER SUBMITTED _____

PO# _____

Ordering Practitioner

Practitioner _____

Title _____

Company _____

Phone _____

Email _____

Optional Cell _____

Shipping Address

Billing Address (if different than shipping)

Patient Information

Patient Last Name _____

Age _____ Height _____ Weight _____

Diagnosis _____

Circle all that apply:

PTTD (Left / Right) Planovalgus (Left / Right)

Cavovarus (Left / Right)

Ankle

- _____ Correct to neutral dorsiflexion
- _____ As-is on cast/model – do not correct
- _____ Dorsiflexion assist
- _____ Plantarflexion stop

Subtalar/Hindfoot

- _____ Correct to neutral (vertical)
- _____ As-is on cast/model – do not correct

Forefoot

_____ Neutral _____ Varus _____ Valgus

*1/8 inch P-cell foot bed lining is standard Proximal Trim Height:

_____ Fib Head _____ Gastroc-soleus

Color Choice: _____ Black _____ Blue _____ Pink _____ Grey

Additional Instructions: _____

Model Submission Method

Capture anatomy in neutral alignment
Photographs are encouraged

_____ 3D Surface Scan (preferred)
Label STL or OBJ file as PATIENT LAST
NAME/PO#
Email with order form to:
david@functionalrestorations.com

_____ Fiberglass/Plaster Bandage
(Unfilled)
Email order for prior to mailing model.
Include copy of your order form with
model.
Mail to:
Functional Restorations
1821 Hillandale Road
Suite 1B-329
Durham, NC 27705

www.functionalrestorations.com
@functionalrestorations
David Robinson, CCA, CPed
Mobile: 813-810-2807
Email:
david@functionalrestorations.com